



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/25/2023 15:16 Received: 08/25/2023 15:16

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Blastomyces AB, CF, Serum, <1:8, titer, QDRL

REFERENCE RANGE: <1:8

INTERPRETIVE CRITERIA:

- <1:8 Antibody Not Detected
> or = 1:8 Antibody Detected

Although titers of 1:8 and greater are considered positive, confirmed serological diagnosis of blastomycosis by the CF test requires a four-fold or greater increase in titer between acute and convalescent specimens, and lack of corresponding titers to C. immitis and H. capsulatum. Specificity can only be demonstrated by immunodiffusion procedures. A negative CF test does not rule out the diagnosis of active blastomycosis, as less than 50% of sera from patients with proven blastomycosis are positive by this assay.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

TEST PERFORMED AT:

QUEST DIAGNOSTICS/NICHOLS SJC
33608 ORTEGA HWY SAN JUAN CAPISTRANO, CA 92675-2042
IRINA MARAMICA, MD, PHD, MBA

Performing Site:

QDRL: QUEST DIAGNOSTICS REFERENCE LAB VALENCIA 27027 Tourney Road Valencia CA 91355

Reported Date: 2023.08.25 15:16

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F225000030
WX0000003827
Printed D&T: 08/25/23 15:16

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1