



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Referral Testing

Collected: 08/28/2023 10:55 Received: 08/28/2023 10:55

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Complement Component C1, Funct	See Below				WMNJ

Test	Result	Flag	Ref Range
Functional Assays For Individual Components			
C1 Function	262451		116373-264072 Units/mL

This assay is used for clinical purposes and was developed, and its performance characteristics determined by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

Test(s) performed at  
Advanced Diagnostics Laboratories  
National Jewish Health  
1400 Jackson Street, Denver, CO 80206  
Medical Director: Steve Groshong, M.D., PhD

Performing Site:  
WMNJ: NATIONAL JEWISH HEALTH 1400 JACKSON STREET DENVER CO 80206

**Reported Date:** 2023.08.28 10:56

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED