



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/28/2023 11:19 Received: 08/28/2023 11:19

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: C5 Complement, Functional, 30, 29-53, U/mL, MMRL

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Drive NW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.08.28 11:19

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F228000036 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 08/28/23 11:19

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1