



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/30/2023 13:23 Received: 08/30/2023 13:23

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Carnitine, Free and Total Urine, Carnitine, Free, Urine, 41, 16-922, uM/gCR, ARRL

REFERENCE INTERVAL: Carnitine, Free, Urine

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Carnitine, Total, Urine, 179, 160-1552, uM/gCR, ARRL

REFERENCE INTERVAL: Carnitine, Total, Urine

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Carnitine, Esterified, Urine, 138, 138-525, uM/gCR, ARRL

REFERENCE INTERVAL: Carnitine, Esterified, Urine

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Carnitine, E/F Ratio, Urine, 3.4, 0.4-6.8, ARRL

REFERENCE INTERVAL: Carnitine, E/F Ratio, Urine

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Creatinine, Urine, 27, mg/dL, ARRL

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

**Referral Testing**

Collected: 08/30/2023 13:23 Received: 08/30/2023 13:23

Test Name Result Flag Ref-Ranges Units Site

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.08.30 13:23 CAFTU

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F230000029  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1

Printed D&T: 08/30/23 13:23

PAGE 2 OF 2