



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/30/2023 15:57 Received: 08/30/2023 15:57

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Chlorpromazine, Serum or Plasma, 169, 30-300, ng/mL, ARRL

INTERPRETIVE INFORMATION: Chlorpromazine, Serum or Plasma

Therapeutic Range: 30-300 ng/mL
Toxic Range: Greater than or equal to 600 ng/mL

Chlorpromazine is a neuroleptic drug indicated for the treatment of schizophrenia, psychotic disorders and intractable hiccup. Chlorpromazine should not be used in patients who have epilepsy, Parkinson's disease, hypoparathyroidism, myasthenia gravis and prostatic hypertrophy. Adverse effects may include drowsiness, hypotension, agranulocytosis, cardiac abnormalities, seizures and rare life-threatening effects, such as phenothiazine sudden death syndrome and neuroleptic malignant syndrome.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD

Performing Site:
ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.08.30 15:57

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F230000056 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 08/30/23 15:57

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1