



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988

Collected: 12/06/2023 11:16

Received: 12/06/2023 11:16

Chlordiazepoxide (Librium®)

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Chlordiazepoxide (Librium)	150		100-3000	ng/mL	WMRL
Chlordiazepoxide (Librium) toxic level: >5000 ng/mL					
Nordiazepam (Clorazepate, Tranxene)	200		100-1000	ng/mL	WMRL
Diazepam (Valium) + Nordiazepam toxic level: >5000 ng/mL					

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F606000021

Ordered By: KAJAL V SITWALA, MD

WMB-23-1203

WX0000003826

WX00000000002353

PAGE 1 OF 1

Printed D&T: 12/06/2023 11:20

Kajal V. Sitwala, MD, PhD - Medical Director