



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978

Collected: 12/06/2023 11:37

Received: 12/06/2023 11:37

## Codeine, Serum

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Codeine, Serum	5.0	H	<5.0	ng/mL	WMRL

For Medical Use Only

If applicable, any drug confirmation testing reported here was developed and the performance characteristics determined by Warde Medical Laboratory. This confirmation testing has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: Warde Medical Laboratory 300 West Textile Road Ann Arbor MI 48108 (800)876-6522

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL,

F606000027

Ordered By: KAJAL V SITWALA, MD

WMB-23-1208

WX0000003827

WX00000000002365

PAGE 1 OF 1

Printed D&T: 12/06/2023 11:39

Kajal V. Sitwala, MD, PhD - Medical Director