



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/08/2023 09:36 Received: 09/08/2023 09:36

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Cortisol Infer Vena Cava Serum	27		Not applicable		MMRL

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Drive NW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.08 9:36

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F308000012
WX0000003827
Printed D&T: 09/08/23 09:36

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1