



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000007120 F 01/01/1985 39 Y

Immunology

Collected: 04/16/2024 11:43 Received: 04/16/2024 11:43

Test Name	Result	Flag	Ref-Ranges	Units	Site
Syphilis IgG/IgM Antibody with Reflex					
Syphilis IgG/IgM Antibody	25.50	H	<0.90	Index Value	WMRL
Syphilis IgG/IgM Interpretation	Positive	AB			WMRL
Rapid Plasma Reagin (RPR) Titer	1:2	AB	Nonreactive		WMRL
Treponema pallidum Ab TP-PA	Reactive	AB	Nonreactive		WMRL

The syphilis antibody test is confirmed as positive with the TP-PA. Both of these tests remain positive for years and do not decline with therapy. The RPR is positive. The most likely explanation for this combination is active syphilis; however in known prior positive patients, change in RPR titer should be used to determine likelihood of current infection, as false positivity is possible.

Reported Date: 04/16/2024 11:43 SYPHR

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

B216000525
WX0000007120

Ordered By: WILLIAM FINN, MD
WX00000000466359

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 04/16/24 11:43

PAGE 1 OF 1