

JANUARY 2021

Update Notes			

Update Summary		
Update Existing Test	12/14/2020	<u>UPBGQ - "Porphobilinogen, 24 Hr Urine"</u>
Update Existing Test	12/14/2020	<u>UPBGR - "Porphobilinogen, Rand Ur"</u>
Inactivate Test With Replacement	1/26/2021	ASGPP - "Aspergillus IgG Precipitins Panel" replaced by ASIGP - "Aspergillus IgG Precipitins"
Inactivate Test Without Replacement	12/18/2020	GLUTA - "Glutathione"

Update Existing	g Test		
Effective Date	12/14/2020		
Name	Porphobilinogen, 24 Hr Urine		
Code	UPBGQ		
Interface Order Code	3426500		
Legacy Code	UPBG24Q		
Notes	Updated specimen requirements, stability, methodology, reference range, days performed an TAT		
Required Testing Cl	nanges		
Specimen Required	Collect 24 hour urine in a screw-capped plastic container, PROTECTED FROM LIGHT. Add 5 g sodium carbonate (Na2CO3) at the start of the collection to maintain a pH of 6 - 7. Refrigerate during collection. Send 2.0 mL perserved urine (1.0 minimum). Provide 24 hour urine volume.		
Alternate Specimen	24 hour urine (no preservative) in screw-capped container. Send 2.0 mL urine (1.0 mL minimum) refrigerated. PROTECT FROM LIGHT.		
Rejection Criteria	Received room temperature, not protected from light		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 30 days		
Methodology	Chromatography/Mass Spectrometry		
Reference Range	24 hour Porphobilinogen: Adult: <0.34 mg/24 hr Pediatric: Not Established		
Performed Days	Tuesday, Thursday, Saturday		
Turnaround Time	5 - 8 days		

LAST EDITED: 2020-12-18 PAGE 1 OF 4



JANUARY 2021

Update Existing Test			
Effective Date	12/14/2020		
Name	Porphobilinogen, Rand Ur		
Code	UPBGR		
Interface Order Code	3426600		
Legacy Code	UPBGRQ		
Notes	Updated specimen requirements, stability, methodology and reference range.		
Required Testing Cl	nanges		
Specimen Required	Collect random urine (no preservative) in a screw-capped plastic container, PROTECTED FROM LIGHT. Send 2.0 mL urine (1.0 mL minimum) refrigerated.		
Alternate Specimen	Random clean catch urine collected with 0.5 g sodium carbonate (Na2CO3) per 100 mL of sample to maintain a pH of 6 - 7. Send 2.0 mL urine (1.0 mL minimum) refrigerated. PROTECT FROM LIGHT.		
Stability	Room temperature: Unacceptable; Refrigerated: 7 days; Frozen: 30 days		
Methodology	Chromatography/Mass Spectrometry		
Reference Range	Adult: <0.22 mg/g creat Pediatric: <0.36 mg/g creat		

LAST EDITED: 2020-12-18 PAGE 2 OF 4



JANUARY 2021

Inactivate Test	With Replacement			
Effective Date	1/26/2021			
	Inactivated Te	est		
Name	Aspergillus IgG Precipitins Panel			
Code	ASGPP			
Legacy Code ¹	ASGPP			
Interface Order Code	3350670			
Notes				
	Replacement T	est		
Name	Aspergillus IgG Precipitins			
Code	ASIGP			
CPT Code(s)		86331 x6		
Notes				
Specimen Requiren				
Specimen Required	Draw blood in a SST. Centrifuge, remove serum from cells and send 1.0 mL serum (0.5 mL minimum) refrigerated in a screw-capped plastic vial.			
Stability	Room temperature: 4 weeks; Refrigerated: 4 weeks; Frozen: 4 weeks			
Performing Informa	ation			
Methodology	Ouchterlony Gel Immunodiffusion			
Reference Range	See report			
Performed Days	Tuesday, Friday			
Turnaround Time	6 - 8 days			
Performing Laboratory	Viracor Eurofins			
Interface Informati	on			
Legacy Code ¹	ASIGP			
Interface Order Code	3300182			
Result Code	Name	LOINC Code	AOE/Prompt ²	
3300183	Aspergillus amstelodami/glaucus Gel Diffusion*	43823-4	No	
3300184	Aspergillus flavus Gel Diffusion*	23820-4	No	
3300185	Aspergillus fumigatus Mix Gel Diffusion*	23821-2	No	
3300186	Aspergillus nidulans Gel Diffusion* 24508-4 No			
3300187	Aspergillus niger Gel Diffusion* 10894-4 No			
3300188	Aspergillus versicolor Gel Diffusion* 43911-7 No			

LAST EDITED: 2020-12-18 PAGE 3 OF 4



LABORATORY REPORT

Example Client, XYZ123 1234 Warde Road ANN ARBOR MI 48108 **EXAMPLE, REPORT**

Negative

WX0000085261 F 12/23/1970 49 Y

Referral Testing

Collected: 12/11/2020 16:17 Received: 12/11/2020 16:17

Test Name Result Flag Ref-Ranges Units Site

Aspergillus IgG Precipitins Panel

Aspergillus versicolor Gel Diffusion*

Aspergillus amstelodami/glaucus Gel Negative Negative Diffusion* Aspergillus flavus Gel Diffusion* Negative Negative Aspergillus fumigatus Mix Gel Diffusion* Negative Negative Aspergillus nidulans Gel Diffusion* Negative Negative Aspergillus niger Gel Diffusion* Negative Negative

The gel diffusion method was used to test this patient's serum for the presence of precipitating antibodies(IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms.

*This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

Negative

Testing Performed At:
Viracor Eurofins
1001 NW Technology Drive
Lee's Summit, MO 64086
(800) 305-5198
Lab Director: Michelle Altrich PhD HCLD(ABB)
CLIA# 26D-0983643

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, $\,$. - NOT TESTED

7211001864 WX0000085261 Printed D&T: 12/18/20 15:21 Ordered By: CLIENT CLIENT WX00000000467424



JANUARY 2021

Inactivate Test Without Replacement		
Effective Date	12/18/2020	
Name	Glutathione	
Code	GLUTA	
Legacy Code	GLUTA	
Interface Code	3724260	
Notes		

LAST EDITED: 2020-12-18 PAGE 4 OF 4