



# LABORATORY REPORT

Example Client, XYZ123  
 1234 Warde Road  
 Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
 WX0000003826 F 12/05/1988 34 Y

## Allergy Testing - Panels

Collected: 08/17/2023 11:45 Received: 08/17/2023 11:45

Test Name	Result	Flag	Ref-Ranges	Units	Site
Alternaria alternata, IgE	<0.10		<0.10	kU/L	WMRL
Alternaria alternata Class	CLASS 0				WMRL
Cat Dander, IgE	<0.10		<0.10	kU/L	WMRL
Cat Dander Class	CLASS 0				WMRL
Cladosporium herbarum, IgE	<0.10		<0.10	kU/L	WMRL
Cladosporium herbarum Class	CLASS 0				WMRL
Cockroach, German, IgE	<0.10		<0.10	kU/L	WMRL
Cockroach, German Class	CLASS 0				WMRL
Cod, IgE	<0.10		<0.10	kU/L	WMRL
Cod Class	CLASS 0				WMRL
Cow's Milk, IgE	<0.10		<0.10	kU/L	WMRL
Cow's Milk Class	CLASS 0				WMRL
Dermatophagoides farinae, IgE	<0.10		<0.10	kU/L	WMRL
Dermatophagoides farinae Class	CLASS 0				WMRL
Dermatophagoides pteronyssinus, IgE	<0.10		<0.10	kU/L	WMRL
Dermatophagoides pteronyssinus Class	CLASS 0				WMRL
Dog Dander, IgE	<0.10		<0.10	kU/L	WMRL
Dog Dander Class	CLASS 0				WMRL
Egg White, IgE	<0.10		<0.10	kU/L	WMRL
Egg White Class	CLASS 0				WMRL
Mouse Urine Proteins, IgE	<0.10		<0.10	kU/L	WMRL
Mouse Urine Proteins Class	CLASS 0				WMRL
Peanut, IgE	<0.10		<0.10	kU/L	WMRL
Peanut Class	CLASS 0				WMRL
Shrimp, IgE	<0.10		<0.10	kU/L	WMRL
Shrimp Class	CLASS 0				WMRL
Soybean, IgE	<0.10		<0.10	kU/L	WMRL
Soybean Class	CLASS 0				WMRL
Walnut, IgE	<0.10		<0.10	kU/L	WMRL
Walnut Class	CLASS 0				WMRL
Wheat, IgE	<0.10		<0.10	kU/L	WMRL
Wheat Class	CLASS 0				WMRL
Allergy Interpretation	See Below				WMRL

CLASS	kU/L	Level of Allergen Specific IgE Antibody
0	<0.10	Undetectable
0/1	0.10 - 0.34	Very Low Level
1	0.35 - 0.69	Low Level

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F217000113 Ordered By: KAJAL SITWALA, MD, PhD  
 WX0000003826 WX00000000002353  
 Printed D&T: 08/17/23 11:46

Kajal V. Sitwala, MD, PhD - Medical Director  
 Form: MM RL1  
 PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Allergy Testing - Panels

Collected: 08/17/2023 11:45 Received: 08/17/2023 11:45

Table with 7 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows 2-6 show test results ranging from Moderate Level to Very High Level.

Performing Site:
WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.08.17 11:45 CAPF

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED