



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 07/11/2020 11:00 Received: 07/13/2020 12:36

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Francisella tularensis Ab IgG/M w/ reflex to Agglutination, 0, <=9, U/mL, ARRL.

INTERPRETATIVE DATA: Francisella tularensis Antibody, IgG

- 9 U/mL or less..... Negative - No significant level of IgG antibody to Francisella tularensis detected.
10 - 15 U/mL.....Equivocal - Questionable Presence of IgG antibody to Francisella tularensis. Repeat testing in 10-14 days may be helpful.
16 U/mL or greater...Positive - Presence of IgG antibody to Francisella tularensis detected, suggestive of current or past exposure/Immunization.

Cross reactivity with Brucella and Yersinia antibodies may occur. Therefore, results should be interpreted with caution and correlated with clinical information. The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are performed in the same laboratory at the same time.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Francisella tularensis Ab, IgM, 0, <=9, U/mL, ARRL.

INTERPRETATIVE DATA: Francisella tularensis Antibody, IgM

- 9 U/mL or less..... Negative - No significant level of IgM antibody to Francisella tularensis detected.
10 - 15 U/mL..... Equivocal - Questionable presence of IgM antibody to Francisella tularensis. Repeat testing in 10-14 days may be helpful.

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 07/11/2020 11:00 Received: 07/13/2020 12:36

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: 16 U/mL, Positive - Presence of IgM antibody to Francisella tularensis detected, suggestive of current or recent exposure/immunization.

Cross reactivity with Brucella and Yersinia antibodies may occur. Therefore, results should be interpreted with caution and correlated with clinical information. The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are performed in the same laboratory at the same time.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS
Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Julio C. Delgado, MD, MS

F. tularensis Ab by Agglutination .TNP ARRL

Reported Date: 07/13/2020 12:38 FTGMR

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED