



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 32 Y

Referral Testing

Collected: 03/19/2021 16:11 Received: 03/19/2021 16:11

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Human Platelet Antigen 1 Genotype, SEE NOTE, QCR

HPA-1a / 1a Homozygous

4631

HPA-1a is recognized as the common genotype in 97% of the population. The presence of HPA-1b platelet antigen polymorphism is associated with neonatal alloimmune thrombocytopenia and post-transfusion purpura.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92690-6130 I Maramica MD, PhD, MBA

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

C31900008 Ordered By: CLIENT CLIENT
WX0000003481 WX00000000002063
Printed D&T: 03/19/21 16:12

William G. Finn, M.D. - Medical Director
Form: MM RL1
PAGE 1 OF 1