



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 34 Y

Referral Testing

Collected: 03/19/2021 16:16 Received: 03/19/2021 16:16

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Histoplasma capsulatum DNA, Real-Time PCR. Row 2: Specimen Source BLOOD. Row 3: Histoplasma capsulatum DNA DETECTED AB. QCRL labels on the right.

REFERENCE RANGE: NOT DETECTED

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Infectious Disease. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Infectious Disease, Inc.
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 H J Batterman MD

Reported Date: 03/19/2021 16:17 HPCDP

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED