



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Allergy Testing - Panels

Collected: 08/15/2023 10:48

Received: 08/15/2023 10:48

Test Name	Result	Flag	Ref-Ranges	Units	Site
Aspergillus fumigatus, IgE	<0.10		<0.10	KU/L	WMRL
Aspergillus fumigatus Class	CLASS 0				WMRL
Alternaria alternata, IgE	<0.10		<0.10	KU/L	WMRL
Alternaria alternata Class	CLASS 0				WMRL
Botrytis cinerea, IgE	<0.10		<0.10	KU/L	WMRL
Botrytis cinerea Class	CLASS 0				WMRL
Chaetomium globosum, IgE	<0.10		<0.10	KU/L	WMRL
Chaetomium globosum Class	CLASS 0				WMRL

Analytical and performance characteristics have been established by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or research.

Phoma betae, IgE	<0.10		<0.10	KU/L	WMRL
Phoma betae Class	CLASS 0				WMRL
Penicillium chrysogenum, IgE	<0.10		<0.10	KU/L	WMRL
Penicillium chrysogenum Class	CLASS 0				WMRL
Rhizopus nigricans, IgE	<0.10		<0.10	KU/L	WMRL
Rhizopus nigricans Class	CLASS 0				WMRL

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

**Reported Date:** 2023.08.15 10:48 MHMOL

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F215000018  
WX0000003826  
Printed D&T: 08/15/23 10:52

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1