



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003827 M 07/08/1978 45 Y

Allergy Testing - Panels

Collected: 08/15/2023 11:15 Received: 08/15/2023 11:15

Test Name	Result	Flag	Ref-Ranges	Units	Site
Grey Alder, IgE	<0.10		<0.10	kU/L	WMRL
Grey Alder Class	CLASS 0				WMRL
Alternaria alternata, IgE	<0.10		<0.10	kU/L	WMRL
Alternaria alternata Class	CLASS 0				WMRL
Bermuda Grass, IgE	<0.10		<0.10	kU/L	WMRL
Bermuda Grass Class	CLASS 0				WMRL
Common Silver Birch, IgE	<0.10		<0.10	kU/L	WMRL
Common Silver Birch Class	CLASS 0				WMRL
Cat Dander, IgE	<0.10		<0.10	kU/L	WMRL
Cat Dander Class	CLASS 0				WMRL
Cockroach, German, IgE	<0.10		<0.10	kU/L	WMRL
Cockroach, German Class	CLASS 0				WMRL
Cottonwood, IgE	<0.10		<0.10	kU/L	WMRL
Cottonwood Class	CLASS 0				WMRL
Dermatophagoides farinae, IgE	<0.10		<0.10	kU/L	WMRL
Dermatophagoides farinae Class	CLASS 0				WMRL
Dog Dander, IgE	<0.10		<0.10	kU/L	WMRL
Dog Dander Class	CLASS 0				WMRL
Maple (Box Elder), IgE	<0.10		<0.10	kU/L	WMRL
Maple (Box Elder) Class	CLASS 0				WMRL
Mugwort (sagebrush), IgE	<0.10		<0.10	kU/L	WMRL
Mugwort (sagebrush) Class	CLASS 0				WMRL
Common Pigweed, IgE	<0.10		<0.10	kU/L	WMRL
Common Pigweed Class	CLASS 0				WMRL
Redtop, Bentgrass, IgE	<0.10		<0.10	kU/L	WMRL
Redtop, Bentgrass Class	CLASS 0				WMRL
Saltwort, Russian Thistle, IgE	<0.10		<0.10	kU/L	WMRL
Saltwort, Russian Thistle Class	CLASS 0				WMRL
Allergy Interpretation	See Below				WMRL

CLASS	kU/L	Level of Allergen Specific IgE Antibody
0	<0.10	Undetectable
0/1	0.10 - 0.34	Very Low Level
1	0.35 - 0.69	Low Level
2	0.70 - 3.49	Moderate Level
3	3.50 - 17.4	High Level
4	17.5 - 49.9	Very High Level
5	50.0 - 100.0	Very High Level
6	>100.0	Very High Level

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Performing Site:
WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.08.15 11:16 MTWST

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F215000026
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002354

Printed D&T: 08/15/23 11:16

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2