



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003827 M 07/08/1978 45 Y

Allergy Testing - Panels

Collected: 08/15/2023 11:40 Received: 08/15/2023 11:40

Test Name	Result	Flag	Ref-Ranges	Units	Site
Almond, IgE	<0.10		<0.10	kU/L	WMRL
Almond Class	CLASS 0				WMRL
Cashew Nut, IgE	<0.10		<0.10	kU/L	WMRL
Cashew Nut Class	CLASS 0				WMRL
Cod, IgE	<0.10		<0.10	kU/L	WMRL
Cod Class	CLASS 0				WMRL
Cow's Milk, IgE	<0.10		<0.10	kU/L	WMRL
Cow's Milk Class	CLASS 0				WMRL
Egg White, IgE	<0.10		<0.10	kU/L	WMRL
Egg White Class	CLASS 0				WMRL
Hazel Nut, IgE	<0.10		<0.10	kU/L	WMRL
Hazel Nut Class	CLASS 0				WMRL
Peanut, IgE	<0.10		<0.10	kU/L	WMRL
Peanut Class	CLASS 0				WMRL
Salmon, IgE	<0.10		<0.10	kU/L	WMRL
Salmon Class	CLASS 0				WMRL
Scallop, IgE	<0.10		<0.10	kU/L	WMRL
Scallop Class	CLASS 0				WMRL
Sesame Seed, IgE	<0.10		<0.10	kU/L	WMRL
Sesame Seed Class	CLASS 0				WMRL
Shrimp, IgE	<0.10		<0.10	kU/L	WMRL
Shrimp Class	CLASS 0				WMRL
Soybean, IgE	<0.10		<0.10	kU/L	WMRL
Soybean Class	CLASS 0				WMRL
Tuna, IgE	<0.10		<0.10	kU/L	WMRL
Tuna Class	CLASS 0				WMRL
Walnut, IgE	<0.10		<0.10	kU/L	WMRL
Walnut Class	CLASS 0				WMRL
Wheat, IgE	<0.10		<0.10	kU/L	WMRL
Wheat Class	CLASS 0				WMRL
IgE	94.0		<114.0	IU/mL	WMRL
Allergy Interpretation	See Below				WMRL

CLASS	kU/L	Level of Allergen Specific IgE Antibody
0	<0.10	Undetectable
0/1	0.10 - 0.34	Very Low Level
1	0.35 - 0.69	Low Level
2	0.70 - 3.49	Moderate Level

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Allergy Testing - Panels

Collected: 08/15/2023 11:40 Received: 08/15/2023 11:40

<u>Test Name</u>		<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
3	3.50 - 17.4	High Level				
4	17.5 - 49.9	Very High Level				
5	50.0 - 100.0	Very High Level				
6	>100.0	Very High Level				

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.08.15 11:41 NFP

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F215000037
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002354

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 08/15/23 11:42

PAGE 2 OF 2