



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 05/07/2020 10:00 Received: 05/08/2020 13:04

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: N-Methylhistamine, Random, Urine; N-Methylhistamine, Random; 167; 30-200; mcg/g Cr; MMRL

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Creatinine, Random, U; 150; mg/dL; MMRL

-----REFERENCE VALUE-----
Interpret with other clinical data.

-----ADDITIONAL INFORMATION-----
This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:
Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Drive NW, Rochester, MN 55901
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Reported Date: 05/08/2020 13:10 NMHR

Performing Site:

MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED