



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/16/2023 09:45 Received: 08/16/2023 09:45

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Perch Ocean IgE*					
Perch Ocean IgE*	<0.35		<0.35	kU/L	VIRL
Perch Ocean IgE Class	0				VIRL

CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35-0.69 kU/L=1, Low Positive; 0.70-3.49 kU/L= 2, Moderate Positive; 3.50-17.49 kU/L= 3, Positive; 17.50-49.99 kU/L= 4, Strong Positive; >49.99 kU/L= 5, Very Strong Positive

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:
Eurofins Viracor
18000 W. 99th Street
Lenexa, KS 66219
Laboratory Director: Brock Neil Ph.D., BCLD (ABB)
CLIA#: 26D-0983643
Phone: 1(800)305-5198

Reported Date: 2023.08.16 9:45 PEROE

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F216000032 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX000000000002354
Printed D&T: 08/16/23 09:46

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1