



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Allergy Testing - Foods

Collected: 08/17/2023 10:39 Received: 08/17/2023 10:39

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Tilapia, IgE	<0.10		<0.10	KU/L	WMRL
Tilapia Class	CLASS 0				WMRL

Analytical and performance characteristics have been established by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or research.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

**Reported Date:** 2023.08.17 10:39 RF414

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F217000070  
WX0000003826  
Printed D&T: 08/17/23 10:39

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1