



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003827 M 07/08/1978 45 Y

Allergy Testing - Panels

Collected: 08/17/2023 09:38 Received: 08/17/2023 09:38

Test Name	Result	Flag	Ref-Ranges	Units	Site
Alternaria alternata, IgE	<0.10		<0.10	KU/L	WMRL
Alternaria alternata Class	CLASS 0				WMRL
Elder, IgE	<0.10		<0.10	KU/L	WMRL
Elder Class	CLASS 0				WMRL

Analytical and performance characteristics have been established by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or research.

Cat Dander, IgE	<0.10		<0.10	KU/L	WMRL
Cat Dander Class	CLASS 0				WMRL
Cottonwood, IgE	<0.10		<0.10	KU/L	WMRL
Cottonwood Class	CLASS 0				WMRL
Meadow, Kentucky Blue, IgE	<0.10		<0.10	KU/L	WMRL
Meadow, Kentucky Blue Class	CLASS 0				WMRL
Common Pigweed, IgE	<0.10		<0.10	KU/L	WMRL
Common Pigweed Class	CLASS 0				WMRL
Timothy Grass, IgE	<0.10		<0.10	KU/L	WMRL
Timothy Grass Class	CLASS 0				WMRL
Cladosporium herbarum, IgE	<0.10		<0.10	KU/L	WMRL
Cladosporium herbarum Class	CLASS 0				WMRL
Oak, IgE	<0.10		<0.10	KU/L	WMRL
Oak Class	CLASS 0				WMRL
English Plantain, Ribwort, IgE	<0.10		<0.10	KU/L	WMRL
English Plantain, Ribwort Class	CLASS 0				WMRL
Aspergillus fumigatus, IgE	<0.10		<0.10	KU/L	WMRL
Aspergillus fumigatus Class	CLASS 0				WMRL
Dermatophagoides farinae, IgE	<0.10		<0.10	KU/L	WMRL
Dermatophagoides farinae Class	CLASS 0				WMRL
Bermuda Grass, IgE	<0.10		<0.10	KU/L	WMRL
Bermuda Grass Class	CLASS 0				WMRL
Penicillium chrysogenum, IgE	<0.10		<0.10	KU/L	WMRL
Penicillium chrysogenum Class	CLASS 0				WMRL
Giant Ragweed, IgE	<0.10		<0.10	KU/L	WMRL
Giant Ragweed Class	CLASS 0				WMRL
Common Ragweed (short), IgE	<0.10		<0.10	KU/L	WMRL
Common Ragweed (short) Class	CLASS 0				WMRL
Cockroach, German, IgE	<0.10		<0.10	KU/L	WMRL

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F217000045
 WX0000003827
 Printed D&T: 08/17/23 09:39

Ordered By: KAJAL SITWALA, MD, PhD
 WX00000000002354

Kajal V. Sitwala, MD, PhD - Medical Director
 Form: MM RL1
 PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003827 M 07/08/1978 45 Y

Allergy Testing - Panels

Collected: 08/17/2023 09:38 Received: 08/17/2023 09:38

Test Name	Result	Flag	Ref-Ranges	Units	Site
Cockroach, German Class	CLASS 0				WMRL
House Dust (Hollister-Stier), IgE	<0.10		<0.10	kU/L	WMRL
House Dust (Hollister-Stier) Class	CLASS 0				WMRL
American Beech, IgE	<0.10		<0.10	kU/L	WMRL
American Beech Class	CLASS 0				WMRL
Goosefoot, Lamb's Quarters, IgE	<0.10		<0.10	kU/L	WMRL
Goosefoot, Lamb's Quarters Class	CLASS 0				WMRL
Setomelanomma rostrata, IgE	<0.10		<0.10	kU/L	WMRL
Setomelanomma rostrata Class	CLASS 0				WMRL
Dog Dander, IgE	<0.10		<0.10	kU/L	WMRL
Dog Dander Class	CLASS 0				WMRL
Allergy Interpretation	See Below				WMRL

CLASS	kU/L	Level of Allergen Specific IgE Antibody
0	<0.10	Undetectable
0/1	0.10 - 0.34	Very Low Level
1	0.35 - 0.69	Low Level
2	0.70 - 3.49	Moderate Level
3	3.50 - 17.4	High Level
4	17.5 - 49.9	Very High Level
5	50.0 - 100.0	Very High Level
6	>100.0	Very High Level

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.08.17 9:39 SCAP

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F217000045 Ordered By: KAJAL SITWALA, MD, PhD
 WX0000003827 WX000000000002354
 Printed D&T: 08/17/23 09:39

Kajal V. Sitwala, MD, PhD - Medical Director
 Form: MM RL1
 PAGE 2 OF 2