



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT

WX0000073111 F 02/15/1985 38 Y

Referral Testing

Collected: 07/17/2023 15:18

Received: 07/17/2023 15:18

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
11-Deoxycortisol	26		<=49.00	ng/dL	ARRL

After metyrapone stimulation: Greater than 8000 ng/dL
REFERENCE INTERVAL: 11-Deoxycortisol, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

Performing Site:

ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

A317000430
WX0000073111

Ordered By: CLIENT CLIENT
WX00000000409391

Printed D&T: 07/17/23 15:20

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1