



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/18/2023 11:09 Received: 07/18/2023 11:09

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Acetylcholinesterase, Amniotic Fluid, SEE BELOW, QARL

Acetylcholinesterase: NEGATIVE
Reference Range: NEGATIVE

Acetylcholinesterase is not present in the amniotic fluid, suggesting a low likelihood of open neural tube defects.

Although the results of AFP and AChE assays are able to exclude most cases of neural tube defects, normal values do not conclusively prove the absence of spinal dysraphism. Closed and small open neural tube defects generally constitute a group where absolute accuracy of detection is not achievable.

Interpretation reviewed by: Denise Salazar, Ph.D., FACMG.

For additional information, please refer to (This link is being provided for informational/educational purposes only.)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Weeks of Gestation: 16W 5D

Technical Services Performed At: Quest Diagnostics Nichols Institute - SJC, 33608 Ortega Highway, San Juan Capistrano, CA, 92675. P(866)894-6920. F(833)434-1031. Reading Location: Quest Diagnostics Nichols Institute - SJC, 33608 Ortega Highway, San Juan Capistrano, CA, 92675. P(866)894-6920. F(833)434-1031.

CPT CODES
82664

The CPT codes provided are for information purposes only, and are based on AMA guidelines without regard to specific payor requirements.

END OF REPORT

FINAL REPORT-ACC FINAL

AmeriPath Northeast, 1 Greenwich Place, Shelton, CT 06484. P(866)436-9632. F(203)929-2344. Medical Director: Kamraan Z. Gill, M.D. CLIA 07D1035411, CT CL-0645

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Reported Date: 2023.07.18 11:10

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F118000011
WX0000003826

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Printed D&T: 07/18/23 11:10

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 2 OF 2