



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 07/18/2023 10:31 Received: 07/18/2023 10:31

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Acetylcholine Receptor Binding Antibody, <0.30, nmol/L, QCRL

Reference Ranges for Acetylcholine Receptor Binding Antibody:

Negative: < or =0.30 nmol/L
Equivocal: 0.31-0.49 nmol/L
Positive: > or =0.50 nmol/L

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Performing Site:
QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.07.18 10:32

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F118000008 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002354
Printed D&T: 07/18/23 10:32

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1