



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 07/18/2023 11:44 Received: 07/18/2023 11:44

Test Name	Result	Flag	Ref-Ranges	Units	Site
Acyclovir (Zovirax), Serum/Plasma	1.0			mcg/mL	NMRL

Reporting Limit: 0.20 mcg/mL
Synonym(s): Zovirax(R)
For using Acyclovir:
Usual therapeutic range (vs. Genital Herpes) during
Chronic oral daily divided dosages of 1200 to 2400 mg:
Peak: 0.40-2.0 mcg/mL plasma
Trough: 0.14-1.2 mcg/mL plasma.
For using Valacyclovir as a metabolite:
Mean steady-state (+/- 1 SD) peak plasma levels
following a 500 mg twice daily regimen of Valacyclovir:
2.0-4.0 mcg Acyclovir/mL.
Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance
characteristics determined by NMS Labs. It has not
been cleared or approved by the US Food and Drug
Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Reported Date: 2023.07.18 11:45

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F118000015
WX0000003827
Printed D&T: 07/18/23 11:46

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002354

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1