



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000003039 M 12/05/1988 34 Y

Referral Testing

Collected: 10/13/2020 16:45 Received: 10/13/2020 16:45

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Adenosine Deaminase, Pericardial Fluid, 45, AB, U/L, U/L, ARRL

INTERPRETIVE INFORMATION: Adenosine Deaminase, Pericardial Fluid
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS
Performed by ARUP Laboratories, 500 Chipeta Way, SLC, UT 84108 800-522-2787
www.aruplab.com, Tracy I. George, MD - Lab. Director

Reported Date: 10/13/2020 16:46 ADDPF

Performing Site: ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

B81300000 Ordered By: CLIENT CLIENT
WX0000003039 WX00000000001595
Printed D&T: 11/30/23 09:20

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1