



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003827 M 07/08/1978 45 Y

## Immunochemistry

Collected: 08/18/2023 10:39 Received: 08/18/2023 10:39

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Anti-Mullerian Hormone	7.94		1.15 - 15.23	ng/mL	WMRL

This test was developed and its performance characteristics have been determined by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

**Reported Date:** 2023.08.18 10:39

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F218000032  
WX0000003827

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002354

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 08/18/23 10:39

PAGE 1 OF 1