



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

## Referral Testing

Collected: 07/19/2023 11:48 Received: 07/19/2023 11:48

Test Name	Result	Flag	Ref-Ranges	Units	Site
Aerobic Organism Identification w Reflex to Susceptibility	See Below				WMAR

Test	Result
Aerobic Organism Identification with Reflex to Susceptibility	

Source: Cerebrospinal Fluid  
Body Site: CSF  
Free Text Sources: CSF

### Final Report

Bacillus species not Bacillus cereus or Bacillus anthracis  
Unable to identify organism to species level  
by partial ribosomal DNA sequencing using current  
quality-controlled databases.  
This test was developed and its performance characteristics  
determined by ARUP Laboratories. It has not been cleared or  
approved by the U.S. Food and Drug Administration.  
This test was performed in a CLIA-certified laboratory and  
is intended for clinical purposes.

### Susceptibility Results

Organism: Bacillus species

Ceftriaxone	Interpretation: NO INTERPRETATION MIC (ug/mL): 1
Gentamicin	Interpretation: SUSCEPTIBLE MIC (ug/mL): <=2
Meropenem	Interpretation: SUSCEPTIBLE MIC (ug/mL): 0.06
Penicillin	Interpretation: SUSCEPTIBLE MIC (ug/mL): 0.06
Vancomycin	Interpretation: SUSCEPTIBLE MIC (ug/mL): 0.25

Performed by ARUP Laboratories  
500 Chipeta Way, Salt Lake City, UT 84108  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:

WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

**Reported Date:** 2023.07.19 11:48

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F119000020  
WX0000003826  
Printed D&T: 07/19/23 11:48

Ordered By: KAJAL SITWALA, MD, PhD  
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director  
Form: MM RL1  
PAGE 1 OF 1