



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/20/2023 09:13 Received: 07/20/2023 09:13

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Bass Black IgE*					
Bass Black IgE*	<0.35		<0.35	kU/L	VIRL
Bass Black IgE Class	0				VIRL

Testing Performed At:
Eurofins Viracor
18000 W. 99th Street
Lenexa, KS 66219
Laboratory Director: Brock Neil Ph.D., BCLD (ABB)
CLIA#: 26D-0983643
Phone: 1 (800) 305-5198

Reported Date: 2023.07.20 9:13 BABLE

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F12000009 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003826 WX00000000002353
Printed D&T: 07/20/23 09:13

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1