



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 07/20/2023 10:28 Received: 07/20/2023 10:28

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Birch Silver (Betula verrucosa) IgG*, <2.0, <9.0, mcg/mL, VIRL

Antibody levels greater than the reference range indicate that the patient has been immunologically sensitized to the antigen. The significance of elevated IgG depends on the nature of the antigen and the patient's clinical history. The test method was the Phadia ImmunoCAP.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:
Eurofins Viracor
1001 NW Technology Dr.
Lee's Summit MO 64086
Laboratory Director: Brock Neil Ph.D., BCLD (ABB)
CLIA#: 26D-0983643
Phone: 1(800)305-5198

Reported Date: 2023.07.20 10:50

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED