



LABORATORY REPORT

Example Client, XYZ123
 1234 Warde Road
 Ann Arbor MI 48108

EXAMPLE, REPORT W
 WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/06/2023 14:33 Received: 09/06/2023 14:33

Test Name	Result	Flag	Ref-Ranges	Units	Site
Complete Atopic Dermatitis Panel					
Total IgE	67	H	0-15	IU/mL	VIRL
Staphylococcal Enterotoxin A IgE	<0.10		<0.35	kU/L	VIRL
Staphylococcal Enterotoxin A IgE	<0.10		<0.35	kU/L	VIRL
Anti-IgE	ELEVATED	AB	Normal		VIRL

This ELISA measures IgG antibodies specific for IgE. A result of normal indicates that the level of IgG anti-IgE antibodies is similar to that seen in a population of healthy individuals. A result of elevated indicates an increased level of IgG anti-IgE antibodies compared to healthy individuals. These autoantibodies have been implicated as a causative agent in autoimmune chronic urticaria and atopic dermatitis.

Codfish/Scrod IgE	<0.10		<0.35	kU/L	VIRL
Class	0				VIRL
Egg White IgE	1.02	H	<0.35	kU/L	VIRL
Class	2				VIRL
Milk Cow IgE	0.77	H	<0.35	kU/L	VIRL
Class	2				VIRL
Peanut (Arachis hypogaea) IgE	2.04	H	<0.35	kU/L	VIRL
Class	2				VIRL
Soybean (Glycine max) IgE	0.22		<0.35	kU/L	VIRL
Class	0/1				VIRL
Wheat (Triticum aestivum) IgE	<0.10		<0.35	kU/L	VIRL
Class	0				VIRL
Candida albicans IgE	<0.10		<0.10	kU/L	VIRL
Class	0				VIRL

The test method is the Phadia ImmunoCAP allergen-specific IgE system.
 CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10 - 0.34 kU/L= 0/1, Equivocal/Borderline; 0.35 - 0.69 kU/L=1, Low Positive; 0.70 - 3.49 kU/L=2, Moderate Positive; 3.50 - 17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00 - 99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:
 Eurofins Viracor

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F306000029
 WX0000003827
 Printed D&T: 09/06/23 14:35

Ordered By: KAJAL SITWALA, MD, PhD
 WX00000000002365

Kajal V. Sitwala, MD, PhD - Medical Director
 Form: MM RL1
 PAGE 1 OF 2



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/06/2023 14:33 Received: 09/06/2023 14:33

Test Name	Result	Flag	Ref-Ranges	Units	Site
18000 W. 99th Street Lenexa, KS 66219 Laboratory Director: Brock Neil Ph.D., BCLD (ABB) CLIA#: 26D-0983643 Phone: 1(800)305-5198					

Malassezia Mix (Malassezia spp) IgE	<0.10			KUA/L	VIRL
-------------------------------------	-------	--	--	-------	------

This test was developed using investigational use only and/or analyte specific reagents. The performance characteristics of this test have not been established. It has not been cleared or approved by the Food and Drug Administration. Interpretation is the sole responsibility of the licensed healthcare professional ordering the test.
 **Testing performed at: PiRL, 4169 Commercial Ave, Portage, MI 49002, Phone: 269-929-9294

Class	.				VIRL
Manganese Superoxide Dismutase Specific IgE	<0.10			KUA/L	VIRL

This test was developed using investigational use only and/or analyte specific reagents. The performance characteristics of this test have not been established. It has not been cleared or approved by the Food and Drug Administration. Interpretation is the sole responsibility of the licensed healthcare professional ordering the test.
 **Testing performed at: PiRL, 4169 Commercial Ave, Portage, MI 49002, Phone: 269-929-9294

Class	.				VIRL
-------	---	--	--	--	------

Reported Date: 2023.09.06 14:35 COATD

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED