



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/26/2023 09:24 Received: 09/26/2023 09:24

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Human Immunodeficiency Virus 1 (HIV-1) Qualitative by NAAT, Not Detected, ARRL

INTERPRETIVE INFORMATION: HIV-1 by Qualitative NAAT

This test detects human immunodeficiency virus type 1 (HIV-1) RNA from Group M, N and O subtypes; it does not detect HIV-1 proviral DNA. A result of "Not Detected" does not rule out HIV-1 RNA concentrations below the limit of detection of the assay or the presence of inhibitors in the patient specimen.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P). Performed by ARUP Laboratories, 500 Chipeta Way, SLC, UT 84108 800-522-2787 www.aruplab.com, Jonathan R. Genzen, MD, PHD - Lab. Director

Performing Site: ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221
Reported Date: 2023.09.26 9:24

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED