



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/25/2023 09:56 Received: 09/25/2023 09:56

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Itraconazole, LC-MS/MS, Serum * and Hydroxyitraconazole, LC-MS/MS.

**Result values must be summed for itraconazole and hydroxyitraconazole to determine the active circulating concentration. The therapeutic target range for localized infections is greater than 0.5 mcg/mL. The therapeutic target range for systemic infections is greater than 1.0 mcg/mL.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:
Eurofins Viracor, LLC
18000 W. 99th Street, Suite 10
Lenexa, KS 66219
Lab Director: Brock Neil, PhD BCLD (ABB)
CLIA # 26D-0983643
FLAG Interpretation: A = Abnormal, H = High, L = Low

Reported Date: 2023.09.25 9:56 ITRAC

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED