



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 09/18/2023 15:23 Received: 09/18/2023 15:23

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Mexiletine (Mexitil)	See Below				WMAR

Test	Result	Flag	Ref Range
Mexiletine, Ser/Pla	0.5		0.5-2.0 ug/mL

Therapeutic Range:
0.5-2.0 ug/mL

Toxic: Greater than 2.0 ug/mL

The therapeutic range is based on serum pre-dose (trough) draw at steady-state concentration. Toxic concentrations may cause hypotension, tremor and cardiac abnormalities.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed by ARUP Laboratories
500 Chipeta Way, Salt Lake City, UT 84108
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:

WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.09.18 15:23

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F318000015 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003827 WX00000000002365
Printed D&T: 09/18/23 15:23

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1