



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/29/2023 08:29 Received: 08/29/2023 08:29

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Thrombin Time (Reflex 1:1 Mix), See Below, WMAR

Thrombin Time with Reflex to Thrombin Time 1:1 Mix

Table with 4 columns: Test, Result, Flag, Ref Range. Row 1: Thrombin Time, 15.4, 14.7-19.5 sec

Thrombin Time was not prolonged therefore no further testing will be added.

Table with 4 columns: Test, Result, Flag, Ref Range. Row 1: Thrombin Time 1:1 Mix, NA, 14.7-19.5 sec

NA = Not Applicable

Performed by ARUP Laboratories
500 Chipeta Way, Salt Lake City, UT 84108
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:

WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.08.29 8:29

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED