



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003827 M 07/08/1978 45 Y

Referral Testing

Collected: 08/18/2023 10:52 Received: 08/18/2023 10:52

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Voriconazole, LC-MS/MS, Serum *	1.6		1.0-5.5	mcg/mL	VIRL

The range listed under reference range refers to the target therapeutic range.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:

Eurofins Viracor
18000 W. 99th Street
Lenexa, KS 66219
Laboratory Director: Brock Neil Ph.D., BCLD (ABB)
CLIA#: 26D-0983643
Phone: 1(800)305-5198

Reported Date: 2023.08.18 10:52

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F218000042
WX0000003827
Printed D&T: 08/18/23 10:53

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002354

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1