



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/18/2023 10:32 Received: 08/18/2023 10:32

Test Name	Result	Flag	Ref-Ranges	Units	Site
Yersinia Ab	See Below				WMAR

Test	Result	Flag	Ref Range
Yersinia enterocolitica Antibodies, IgA and IgG by Immunoblot			

Yersinia enterocolitica, IgA Immunoblot	Negative		Negative
---	----------	--	----------

INTERPRETIVE INFORMATION:
Yersinia enterocolitica, IgA Immunoblot

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Yersinia enterocolitica, IgG Immunoblot	Positive AB		Negative
---	-------------	--	----------

Cross-reactivity has been demonstrated with Borrelia burgdorferi, which can cause an arthritis indistinguishable from arthritis due to Y. enterocolitica.

INTERPRETIVE INFORMATION:
Yersinia enterocolitica, IgG Immunoblot

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed by ARUP Laboratories
500 Chipeta Way, Salt Lake City, UT 84108
Jonathan R. Genzen, MD, PhD, Laboratory Director

Performing Site:

WMAR: ARUP LABORATORIES 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.08.18 10:32

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F218000027
WX0000003826
Printed D&T: 08/18/23 10:32

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1