



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/20/2023 15:10 Received: 07/20/2023 15:10

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Cockroach German (Blatella germanica) IgG*	<2.0		<12.0	mcg/mL	VIRL

Antibody levels greater than the reference range indicate that the patient has been immunologically sensitized to the antigen. The significance of elevated IgG depends on the nature of the antigen and the patient's clinical history. The test method was the Phadia ImmunoCAP.

*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Testing Performed At:
Eurofins Viracor
18000 W. 99th Street
Lenexa, KS 66219
Laboratory Director: Brock Neil Ph.D., BCLD (ABB)
CLIA#: 26D-0983643
Phone: 1(800)305-5198

Reported Date: 2023.07.20 15:14

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F120000122 Ordered By: KAJAL SITWALA, MD, PhD
WX0000003826 WX00000000002353
Printed D&T: 07/20/23 15:15

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1