



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W

WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/20/2023 15:07

Received: 07/20/2023 15:07

Test Name	Result	Flag	Ref-Ranges	Units	Site
f268eClove (F268) IgE					
Clove (F268) IgE	<0.10			kU/L	QDRL
Clove (F268) IgE Class	0				QDRL

Specific IGE Class	kU/L	Level of Allergen Specific IGE Antibody
0	<0.10	Absent/Undetectable
0/1	0.10-0.34	Very Low Level
1	0.35-0.69	Low Level
2	0.70-3.49	Moderate Level
3	3.50-17.4	High Level
4	17.5-49.9	Very High Level
5	50-100	Very High Level
6	>100	Very High Level

The clinical relevance of allergen results of 0.10-0.34 kU/L are undetermined and intended for specialist use.

Allergens denoted with a "***" include results using one or more analyte specific reagents. In those cases, the test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

TEST PERFORMED AT:
QUEST DIAGNOSTICS NICHOLS VALENCIA
27027 TOURNEY ROAD VALENCIA, CA 91355-5386
THOMAS MCDONALD, MD

Performing Site:

QDRL: QUEST DIAGNOSTICS REFERENCE LAB VALENCIA 27027 Tourney Road Valencia CA 91355

Reported Date: 2023.07.20 15:07 F268E

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F120000120
WX0000003826

Printed D&T: 07/20/23 15:07

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1