



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 07/20/2023 15:28 Received: 07/20/2023 15:28

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Coffee IgG, <2.0, , <2.0, mcg/mL, QDRL

This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics. This test, and any food specific allergen IgG result, should not be used for the diagnosis of allergic or atopic disease states (except for sensitivity to milk in neonates and gluten sensitivity). The use of food specific allergen IgG results should be restricted to the assessment of response to therapeutic interventions.

TEST PERFORMED AT:
QUEST DIAGNOSTICS NICHOLS VALENCIA
27027 TOURNEY ROAD VALENCIA, CA 91355-5386
THOMAS MCDONALD,MD

Performing Site:
QDRL: QUEST DIAGNOSTICS REFERENCE LAB VALENCIA 27027 Tourney Road Valencia CA 91355

Reported Date: 2023.07.20 15:30

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED