



## LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 34 Y

### Referral Testing

Collected: 09/25/2023 14:08 Received: 09/25/2023 14:08

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Inhibin A	4			pg/mL	QCRL

Reference Ranges for Inhibin A:

Females

Premenopausal: <98.0 pg/mL

Postmenopausal: <2.1 pg/mL

Males

<2.0 pg/mL

This test was performed using the Beckman-Coulter Chemiluminescent Inhibin-A method that has been cleared by the FDA strictly for in vitro use as an aid in the diagnosis and monitoring of various hormonal reproductive disorders. The Inhibin-A test should not be used as a diagnostic procedure for granulosa cell tumors or hydatidiform moles without confirmation of the diagnosis by another established product or procedure. Values obtained with different assay methods or kits cannot be used interchangeably.

Test Performed at:

Quest Diagnostics Nichols Institute  
33608 Ortega Highway

San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

**Reported Date:** 2023.09.25 14:09

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F325000055  
WX0000003826

Printed D&T: 09/25/23 14:09

Ordered By: KAJAL SITWALA, MD, PhD  
WX000000000002353

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1