



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 14:22 Received: 08/29/2023 14:22

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: SureSwab(R), Mycoplasma/Ureaplasma Panel, PCR; Mycoplasma hominis DNA; NOT DETECTED; QCR

REFERENCE RANGE: NOT DETECTED

Methodology: Real-Time PCR

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: M. genitalium, rRNA, TMA; NOT DETECTED; QCR

REFERENCE RANGE: NOT DETECTED

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway
San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Ureaplasma parvum DNA; NOT DETECTED; QCR. Row 2: Ureaplasma urealyticum DNA; DETECTED; AB; QCR

REFERENCE RANGE: NOT DETECTED

Methodology: Real-Time PCR

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at:
Quest Diagnostics Nichols Institute
33608 Ortega Highway

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 08/29/2023 14:22 Received: 08/29/2023 14:22

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
San Juan Capistrano, CA	92675-2042	I	Maramica MD, PhD		

Performing Site:

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.08.29 14:24 MUPCR

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F229000027
WX0000003826
Printed D&T: 08/29/23 14:24

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 2 OF 2