



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Allergy Testing - Tree Pollens

Collected: 07/21/2023 10:30 Received: 07/21/2023 10:30

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Elder, IgE	<0.10		<0.10	kU/L	WMRL
Elder Class	CLASS 0				WMRL

Analytical and performance characteristics have been established by Warde Medical Laboratory. It has not been cleared or approved by the FDA. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or research.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

Reported Date: 2023.07.21 10:32 RT205

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

F121000026
WX0000003826

Printed D&T: 07/21/23 10:32

Ordered By: KAJAL SITWALA, MD, PhD
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1