



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/12/2023 10:18 Received: 09/12/2023 10:18

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Porphobilinogen, Rand Ur, 0.123, <0.22, mg/g creat, QCRL. Row 2: Interpretation, SEE NOTE, , , , QCRL.

Urine porphobilinogen (PBG) is within the normal range. PBG may not be elevated if the patient is asymptomatic or is undergoing treatment at the time of collection.

Interpretation reviewed by: Denise Salazar, Ph.D., FACMG.

IF THE ORDERING/TREATING PHYSICIAN HAS ANY QUESTIONS REGARDING THESE RESULTS, PLEASE CONTACT THE QUEST DIAGNOSTICS BIOCHEMICAL GENETICS LABORATORY AT 1-800-642-4657 ext 4817 or ext 4423 AND ASK TO SPEAK WITH THE LABORATORY DIRECTOR ON CALL. FOR GENERAL QUESTIONS ABOUT QUEST DIAGNOSTICS GENETIC TESTING, PLEASE CALL THE GENE INFO LINE AT 1-866-GENE-INFO.

Whenever possible, specimens should be collected during symptomatic attacks of acute porphyrias, because porphobilinogen (PBG) may decrease rapidly upon remission. PBG may also degrade when samples are exposed to UV light for extended periods or are transported at refrigerated or ambient temperature. All results should be interpreted in the context of clinical findings, relevant history, and other laboratory data.

For additional information, please refer to (This link is being provided for informational/educational purposes only.)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Test Performed at: Quest Diagnostics Nichols Institute 33608 Ortega Highway San Juan Capistrano, CA 92675-2042 I Maramica MD, PhD, MBA

QCRL: QUEST DIAGNOSTICS REFERENCE LAB CAPISTRANO 33608 Ortega Highway San Juan Capistrano CA 92675

Reported Date: 2023.09.12 10:19 UPBGR

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED