

Update Notes

Update Summary

Announcement	9/21/2021	Resulting Update
New Test Activation	9/21/2021	CHFLU - "Chromium, Fluid"
New Test Activation	9/21/2021	COFLU - "Cobalt, Fluid"
New Test Activation	9/21/2021	TIFLU - "Titanium, Fluid"
Update Existing Test	9/13/2021	6MAMO - "6-Monoacetylmorphine - Free (Unconjugated), Serum/Plasma"
Update Existing Test	9/21/2021	RAT4 - "Hazel Tree, IgE"
Update Existing Test	9/01/2021	RBCF - "RBC Folate"
Inactivate Test With Replacement	9/21/2021	UBISQ - "Bismuth, 24 Hour Urine" replaced by BIS24 - "Bismuth, 24 Hour Urine"
Inactivate Test Without Replacement	9/13/2021	CLOB - "Clobazam, Serum/Plasma"

Announcement

Resulting Update starting September 21, 2021:

The following tests, IBDPM, TPMTE and TPMTG will be resulted in Warde's laboratory information system with the following comment:

**SEE REPORT UNDER SEPARATE COVER.
REPORT SENT WITH COURIER AND OR MAILED.**

For these tests, Warde will send copies of the performing laboratory reports to the ordering facility. Warde will scan copies of the original performing laboratory reports as PDF documents into the Warde laboratory information system. Copies of original reports may also be requested as needed by secure fax or other arrangement from Warde Client Services. Original reports may be uploaded into local EMRs at the discretion of policies determined by the ordering client.

Warde is providing original copies of these reports to minimize manual result entry for non-interfaced or low volume miscellaneous tests. Given the growing complexity of esoteric test reports, our goal is to reduce the opportunity for error associated with the manual transcription of complex test results.

LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT

WX0000003481 F 12/08/1988 32 Y

Referral Testing

Collected: 08/26/2021 15:47

Received: 08/26/2021 15:47

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
Chromium, Fluid	10			mcg/L	NMRL

Reporting Limit: 1.0 mcg/L

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

C82600009
WX0000003481

Ordered By: CLIENT CLIENT
WX00000000002063

Printed D&T: 08/26/21 15:48

William G. Finn, M.D. - Medical Director

Form: MM RL1

PAGE 1 OF 1

New Test Activation			
Effective Date	9/21/2021		
Name	Cobalt, Fluid		
Code	COFLU		
CPT Code(s)	83018		
Notes			
Specimen Requirements			
Specimen Required	<p><i>Collect:</i> Fluid</p> <p>Send 1.0 mL fluid in a plastic container (Acid washed or trace metal-free).</p> <p><i>Minimum volume:</i> 0.4 mL</p> <p><i>Transport temperature:</i> Refrigerated</p>		
Stability	<p>Room temperature: Undetermined</p> <p>Refrigerated: Undetermined</p> <p>Frozen: (-20°C): Undetermined</p>		
Performing Information			
Methodology	Inductively Coupled Plasma/Mass Spectrometry		
Reference Range	<p>1.0 mcg/L</p> <p>The reported value may vary based on dilution or weight of the specimen.</p>		
Performed Days	Varies		
Turnaround Time	8-11 days		
Performing Laboratory	NMS Labs		
Interface Information			
Legacy Code¹	COFLU		
Interface Order Code	3300139		
Result Code	Name	LOINC Code	AOE/Prompt²
3300139	Cobalt, Fluid	51194-9	No



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 32 Y

Referral Testing

Collected: 08/26/2021 15:51 Received: 08/26/2021 15:51

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Cobalt, Fluid, 10, , , mcg/L, NMRL

Reporting Limit: 1.0 mcg/L
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)
Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

C82600010 Ordered By: CLIENT CLIENT
WX0000003481 WX00000000002063
Printed D&T: 08/26/21 15:52

William G. Finn, M.D. - Medical Director
Form: MM RL1
PAGE 1 OF 1

New Test Activation			
Effective Date	9/21/2021		
Name	Titanium, Fluid		
Code	TIFLU		
CPT Code(s)	83018		
Notes			
Specimen Requirements			
Specimen Required	<p><i>Collect:</i> Fluid</p> <p>Send 4.0 mL fluid in a plastic container (Acid washed or trace metal-free).</p> <p><i>Minimum volume:</i> 1.8 mL</p> <p><i>Transport temperature:</i> Refrigerated</p>		
Stability	<p>Room temperature: Undetermined</p> <p>Refrigerated: Undetermined</p> <p>Frozen (-20°C): Undetermined</p>		
Performing Information			
Methodology	Inductively Coupled Plasma/Mass Spectrometry		
Reference Range	<p>10 mcg/L</p> <p>The reported value may vary based on dilution or weight of the specimen.</p>		
Performed Days	Varies		
Turnaround Time	8-11 days		
Performing Laboratory	NMS Labs		
Interface Information			
Legacy Code¹	TIFLU		
Interface Order Code	3300138		
Result Code	Name	LOINC Code	AOE/Prompt²
3300138	Titanium, Fluid	51210-3	No



LABORATORY REPORT

QC ACCOUNT (WARDE)
300 W. TEXTILE
ANN ARBOR MI 48108

EXAMPLE, REPORT
WX0000003481 F 12/08/1988 32 Y

Referral Testing

Collected: 08/26/2021 15:53 Received: 08/26/2021 15:53

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Titanium, Fluid, 10, , , mcg/L, NMRL

Reporting Limit: 10 mcg/L
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)
Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

C82600011 Ordered By: CLIENT CLIENT
WX0000003481 WX00000000002063
Printed D&T: 08/26/21 15:54

William G. Finn, M.D. - Medical Director
Form: MM RL1
PAGE 1 OF 1

Update Existing Test			
Effective Date	9/13/2021		
Name	6-Monoacetylmorphine - Free (Unconjugated), Serum/Plasma		
Code	6MAMO		
Interface Order Code	3302100		
Legacy Code	6MAMO		
Notes	Updates to specimen requirements and test component name change.		
Required Testing Changes			
Specimen Required	Centrifuge, separate serum from cells and send 1.0 mL serum in a sterile, screw capped plastic vial.		
Result Code	Name	LOINC Code	AOE/Prompt ²
3302110	Morphine - Free	11244-1	No
3302120	6-monoacetylmorphine - Free	49749-5	No

Update Existing Test			
Effective Date	9/21/2021		
Name	Hazel IgE		
Code	RAT4		
Interface Order Code	3060520		
Legacy Code	RAT4		
Notes	Updates to test name and test component name.		
Required Testing Changes			
Name	Hazel Tree, IgE		
Result Code	Name	LOINC Code	AOE/Prompt ²
3060523	Hazel Tree, IgE	6137-4	No
3060526	Hazel Class	15767-7	No

Update Existing Test			
Effective Date	9/01/2021		
Name	RBC Folate		
Code	RBCF		
Interface Order Code	1000773		
Legacy Code	RBCF		
Notes	Updates to accepted alternate specimens.		
Required Testing Changes			
Alternate Specimen	Whole blood in K2EDTA (pink top) tubes are acceptable		

Inactivate Test With Replacement	
Effective Date	9/21/2021
Inactivated Test	
Name	Bismuth, 24 Hour Urine
Code	UBISQ
Legacy Code ¹	UBISQ
Interface Order Code	3724500
Notes	
Replacement Test	
Name	Bismuth, 24 Hour Urine
Code	BIS24
CPT Code(s)	83018
Notes	
Specimen Requirements	
Specimen Required	<p><i>Patient Preparation:</i> Avoid taking mineral supplements and bismuth preparations such as Pepto-Bismol™ for at least 1 week prior to collection.</p> <p><i>Collect:</i> 24 hour urine in an acid washed container.</p> <p>Collect 24 hour urine in an acid washed 24 hour urine container. Mix well and send 7.0 mL urine refrigerated in a screw capped acid-washed container.</p> <p><i>Minimum volume:</i> 3.0 mL</p> <p><i>Transport temperature:</i> Refrigerated</p>
Stability	Room temperature: 48 hours Refrigerated: 5 days Frozen: 14 days
Performing Information	
Methodology	Inductively Coupled Plasma/Mass Spectrometry
Reference Range	<21 mcg/L
Performed Days	Tuesday, Thursday, Saturday
Turnaround Time	4 - 6 days
Performing Laboratory	Quest Valencia
Interface Information	
Legacy Code ¹	BIS24

Interface Order Code	3700534		
Result Code	Name	LOINC Code	AOE/Prompt ²
3700531	Urine Volume	Not available	Yes
3700532	Collection Duration	Not available	Yes
3700533	Bismuth, 24 Hour Urine	21113-6	No

Inactivate Test Without Replacement	
Effective Date	9/13/2021
Name	Clobazam, Serum/Plasma
Code	CLOB
Legacy Code	CLOB
Interface Code	3300110
Notes	No alternate replacement available for this test.