



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/07/2023 15:39 Received: 09/07/2023 15:39

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Rows include Platelet Ab Screen, S, GPIIb/IIIa (Cell-1), GPIIb/IIIa (Cell-2), GPIa/IIa (Cell-1), GPIa/IIa (Cell-2), GPIb/IX, GPIV, and HLA Class I.

RESULT: No platelet antibodies were detected.

Antigens: HPA-1a/1a,3a/3a,4a/
Observed OD Value: 0.204/Cutoff: 0.360

Antigens: HPA-1b/1b,3b/3b,4a/
Observed OD Value: 0.171/Cutoff: 0.245

Antigens: HPA-5b/5b
Observed OD Value: 0.204/Cutoff: 0.352

Antigens: HPA-5a/5a
Observed OD Value: 0.215/Cutoff: 0.352

Observed OD Value: 0.094/Cutoff: 0.124

Observed OD Value: 0.198/Cutoff: 0.347

Observed OD Value: 0.245/Cutoff: 0.297

-----ADDITIONAL INFORMATION-----
The presence of other HPA polymorphic variants located on GPIIb/IIIa (HPA-6,7,8,9,10,11,14,16,17,19,20,21), GPIa/IIa (HPA-13,18), and GPIb/IX (HPA-12) have not been

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/07/2023 15:39 Received: 09/07/2023 15:39

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Contains test details and clinical questions like 'Reason for Request?' and 'IVlg in last month?'.

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Performing Site:
MMRL: MAYO MEDICAL REFERENCE LAB 3050 Superior Drive NW Rochester MN 55901

Reported Date: 2023.09.07 15:40 PLABN

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED