



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

**EXAMPLE, REPORT W**  
WX0000003826 F 12/05/1988 35 Y

## Immunochemistry

Collected: 08/13/2024 15:34 Received: 08/13/2024 15:34

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
CA 19-9	728.0	H	<=35	U/mL	WMRL

The Siemens Advia Centaur CA199 Chemiluminescent Immunoassay is used. Results obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

**Reported Date:** 08/13/2024 15:34 CA199

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

G413000065  
WX0000003826

Ordered By: KAJAL SITWALA, MD, PHD  
WX00000000002353

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

Printed D&T: 08/13/24 15:34

PAGE 1 OF 1