



# LABORATORY REPORT

Example Client, XYZ123  
1234 Warde Road  
Ann Arbor MI 48108

## EXAMPLE, REPORT

WX0000073111 F 02/15/1985 38 Y

### Immunochemistry

Collected: 02/12/2020 20:54

Received: 02/12/2020 20:54

<u>Test Name</u>	<u>Result</u>	<u>Flag</u>	<u>Ref-Ranges</u>	<u>Units</u>	<u>Site</u>
CA 19-9	728.0	H	<=35	U/mL	WMRL

The Siemens Advia Centaur CA199 Chemiluminescent Immunoassay is used. Results obtained with different assay methods or kits cannot be used interchangeably. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

Performing Site:

WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

6212003445  
WX0000073111

Ordered By: CLIENT CLIENT  
WX00000000409391

Printed D&T: 11/30/23 10:45

Kajal V. Sitwala, MD, PhD - Medical Director

Form: MM RL1

PAGE 1 OF 1