



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT W
WX0000003826 F 12/05/1988 34 Y

Referral Testing

Collected: 09/22/2023 10:23 Received: 09/22/2023 10:23

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: Lipase, Fluid; Lipase Fluid, 8, U/L, ARRL

INTERPRETIVE INFORMATION: Lipase, Fluid

For information on body fluid reference ranges and/or interpretive guidance visit

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Performed By: ARUP Laboratories
500 Chipeta Way
Salt Lake City, UT 84108
Laboratory Director: Jonathan R. Genzen, MD, PhD
CLIA Number: 46D0523979

Lipase, Fluid Source Pleural fluid ARRL

Performing Site:
ARRL: ARUP REFERENCE LAB 500 Chipeta Way Salt Lake City UT 841081221

Reported Date: 2023.09.22 10:24 LIPFL

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED