



LABORATORY REPORT

Example Client, XYZ123
1234 Warde Road
Ann Arbor MI 48108

EXAMPLE, REPORT
WX0000073111 F 02/15/1985 38 Y

Immunochemistry

Collected: 02/12/2020 21:01 Received: 02/12/2020 21:01

Table with 6 columns: Test Name, Result, Flag, Ref-Ranges, Units, Site. Row 1: T3, Reverse, LC/MS/MS, 16.0, 9.0 - 27.0, ng/dL, WMRL

This test was developed and its performance characteristics determined by Warde Medical Laboratory in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration. This test is used for patient testing purposes. It should not be regarded as investigational or for research.

Reported Date: 02/13/2020 11:05

Performing Site: WMRL: WARDE MEDICAL LABORATORY 300 West Textile Road Ann Arbor MI 48108

LAB: L - LOW, H - HIGH, AB - ABNORMAL, C - CRITICAL, . - NOT TESTED

6212003508 Ordered By: CLIENT CLIENT
WX0000073111 WX00000000409391
Printed D&T: 12/01/23 11:05

Kajal V. Sitwala, MD, PhD - Medical Director
Form: MM RL1
PAGE 1 OF 1